



THE DOOR OF BEAUTY & INNOVATION



We choose a door for its aesthetic qualities, but doors offer so much more than aesthetics. Your front door is a warm familiar place where new guest arrive and a cheerful announcement when friends come. We live our lives through them. Our front door sees us when we start our day and are ready to take on new opportunities. It's also a gentle embrace at the end of the day, welcoming us to our home and family. Doors aren't just doors; they're a reflection of us and our home. They help us and our families feel safe and protected. We know how important it is to choose a door that best represents you, makes you feel secure, and fits your needs.

ABOUT PLASTPRO

Since 1994, Plastpro has always believed in providing a superior product with the best value, technology, and commitment to our customers. Our fiberglass doors offer the beauty and versatility of wood doors, but require less maintenance and have a longer lifespan. Wood and steel doors have been preferred in the industry, but both come with problems such as: rotting, rusting, and weather damage. Our fiberglass doors are the best solution and are not susceptible to weather damage, require less maintenance, and offer higher performance ratings. We've introduced the first door with composite stiles and rails, HydroShield technology, and composite Polyfiber (PF) Frames to the industry. Our doors feature a full length LVL block that provides stronger rigidity and a range of door locks and hardware to be installed for increased security. We carry a wide variety of designs, sizes, and styles that are bound to complement everyone's home.

Since the beginning, we've not only been committed to providing superior products, but also in creating opportunities. Our goal is to create positive changes for not only our employees and customers, but also for our community. We believe in doing good for the world and making a difference. For us, success is only as good as the good it creates. We've continuously partnered with Habitat for Humanity in order to create affordable, green houses for low-income families across the nation. We've donated more than 500 doors to various chapters of Habitat for Humanity and other non-profit organizations. When you buy a Plastpro door, you not only get a beautiful door with the best quality, you become part of Plastpro and join us in giving back to others.

- 5 PLASTPRO'S QUALITY
- 6 9 PFTM DOOR FRAMES
- 10 CHOOSING YOUR DOOR
- 11 DOORABILITY
- 12 13 DOOR SERIES OVERVIEW
- 14 15 SPECIALTY SERIES OVERVIEW (FIRE RATED, HVHZ, TRIMABLE & RESIDENTIAL ADA)
- 16 23 DOORLITE OVERVIEW DECORATIVE GLASS
- 24 27 SOLUTION DOORLITE SERIES OVERVIEW

28 - 33		LIMITED
34 - 41		MODERN
42 - 53		RUSTIC
54 - 61		MAHOGANY
62 - 69		FIR
70 - 99	A 1	ОАК
100 - 143		sмоотн
144 - 157	S/I DAM	WHITE OAK
158 - 165		ONELITE
166 - 171		NOVA

- 172 175 STAIN KIT & PAINT GUIDES
 - 176 TESTING INFORMATION
- 177 182 PRODUCT INDEX

PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive HydroShield technology protects our doors against moisture and humidity infiltration, by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. Our doors with HydroShield technology used with our Polyfiber (PF) Door Frames create an enhanced, impenetrable entryway.



1 FIBERGLASS REINFORCED DOOR SKINS

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. With unlimited design options, customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted, stained, and we provide a variety of graining options.

2 FULL LENGTH COMPOSITE STILES

Our full-length composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3 COMPOSITE TOP & BOTTOM RAILS

High strength composite top and bottom rails prevent moisture from seeping into the door and stops the buildup of mold.

4 EXTENDED LOCKBLOCK

Plastpro's full length LVL allows any type of lock to be placed for increased security.

5 POLYURETHANE FOAM CORE

Our advanced CFC-free, high density, Polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.



PFTM DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Wood doors and frames are prone to warping, rotting, and cracking, while steel doors and frames can rust and dent. You don't want to install a door that will fail, nor do you want to install a frame that will fail.

Plastpro's Polyfiber (PF) Door Frames are a uniquely formulated and innovative alternative to traditional door frames. They combine the beauty of wood but require less maintenance and have a longer lifespan. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The advanced system can be installed the same way as traditional wood frames with no added hassle. When used together with a fiberglass door, they create an enhanced, impenetrable entryway.

FEATURES & BENEFITS

- Equipped with HydroShield technology, it will not absorb or wick moisture, and prevents warping, rotting, and splitting.
- Frame is not able to be infested with termites at any point along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Maintenance free and energy efficient.
- Continuous piece with no finger joint and is 25% more rigid than wood frames.

FRAME DECAY COMPARISON



PLASTPRO PF™ DOOR FRAME

*with Hydroshield Technology™



TRADITIONAL WOOD FRAME

Susceptible to rotting, warping and decay



4%16" DOOR JAMB



6%16" DOOR JAMB



51/4" DOOR JAMB



71/4" DOOR JAMB



11/4" x 3" JAMB EXTENSION



















• 4⁹/₁₆" • 69/16"



• 1 1/2" x 3 9/16" x 2 1/2"

- 1 1/2" x 4 3/8" x 2 1/2"
- 1" x 3%16" x 2"
- 1" x 43/8" x 2"



MULL POST COVERS (EXT.) • 1½" x 1" • 2" x 1"






STORM DOOR ADAPTERS • 1" x 21/2" • 1" x 3"











ARCH & RADIUS HEADER KITS

The shape of an arched and radius door isn't the only thing that makes it different from a traditional rectangular door. Arch doors exude style and give your entryway a brand new look. Plastpro is the only fiberglass door manufacturer able to offer full composite frames to match arch or radius top doors.



Plastpro Polyfiber (PF) Door Frames are produced with the highest quality and are available in a variety of graining options. For a detailed list of graining available per product, please refer to the chart below.

	OAK GRAIN	FIR GRAIN	MAHOGANY	PRIMED	WHITE CAPPED	PVC - WHITE
4%" DOOR FRAME		•	•	•	•	
51/4" DOOR FRAME	•			•	•	
6%6" DOOR FRAME	•	•	•	•	•	
71/4" DOOR FRAME	•			•	•	
WM180 BRICK MOULD	•	•	•	•	•	
WM176 FLORIDA BRICK MOULD				•		
1" x 2" STUCCO MOULD				•		
NAILING FIN	•				•	
J-CHANNEL	•			•	•	
FLAT CASING				•	•	
FLAT CASING J-CHANNEL	•			•	•	
FRIM BOARDS						•
FRANSOM SILLS	•	•	•	•	•	
MULL POSTS	•	•	•	•	•	
MULL POST COVERS (EXTERIOR)	•	•	•	•	•	
MULL POST CAP						•
STORM DOOR ADAPTERS	•	•	•	•	•	
DOOR FRAME EXTENSIONS	•	•	•	•	•	
SIDELITE STOPPER	•			•		
ASTRAGAL						•
PF™ ARCH & RADIUS HEADERS	•					<u> </u>
FF ARCH & KADIUS HEADERS						

STEP 1: CHOOSE DOOR TYPE & PANELING

















STEP 2: CHOOSE YOUR GLASS











STEP 3: CUSTOMIZE YOUR ENTRY SYSTEM

- CREATE A DOUBLE DOOR ENTRY WAY
- ADD ONE OR TWO MATCHING SIDELITES
- ADD A MATCHING TRANSOM
- ADD DOOR ACCESSORIES
- COMPLETE WITH PF™ DOOR FRAME







STEP 4: CHOOSE FINISH

Plastpro's Stain Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.





















DOORABILITY

CHOOSE YOUR DOOR DIGITALLY



Sometimes it's hard to imagine what a door would look like on your home. A unique home like yours needs a door to complement it perfectly. Our Doorability tool takes the guess work out and lets you see our doors on your home. We have designed a visualizing tool that allows you to upload a photo of your home and instantly add a variety of door and glass options to visual your homes new door.



CUSTOMIZE YOUR DREAM ENTRY WAY AT doorability.plastproinc.com

- EASY TO USE
- VISUALIZE THE PERFECT DOOR ON YOUR HOME
- SAVE AND EMAIL YOUR CUSTOM DOOR
- DRAW IN YOUR OPENING FOR AN ACCURATE VISUALIZATION

LIMITED SERIES

MODERN SERIES



Our Limited Series was specifically selected to showcase some of the richest, luxury graining available.



The Modern Series effortlessly makes a contemporary design simpler.

RUSTIC SERIES



Our Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home.

MAHOGANY SERIES



The Mahogany Series brings a beloved wood texture into traditional, timeless styles.

FIR SERIES



Our Fir Grain Series creates fine details and gives your home a traditional, craftsman appeal.

OAK SERIES



Dressed in a rich oak grain texture, our Oak Grain Series gives a classic look to your home.

SMOOTH SERIES

WHITE OAK SERIES



The Smooth Series is made with a prepigmented white skin. Its simplicity gives a clean, minimal look to any of our fiberglass doors.



The White Oak Series combines the best features from our Smooth and Oak Grain doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin.

ONELITE SERIES



Our Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door.



NOVA SERIES


The Nova Series was inspired by the gentle, rising light that causes a calm, peaceful feeling experienced in the early morning.

FIRE RATED



ade with fire-resistant composite, Plastpro Fire Rated doors are extremely durable. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. Certain models are available to hold off fire for 60 and 90 minutes. Most importantly, our doors provide a safe home without ever sacrificing style.







Contact us for stock availability.

TRIMMABLE

ur Trimmable Series is designed to fit in a variety of existing entry ways. Adjustments up to 2" in height and width can be made to the door through your contractor. Trimmable doors are available in Oak and Smooth skin. This is the door your home has been waiting for.



= Trimmable Option Available. Contact us for stock availability. (Only available in 3'0" width)



HVHZ IMPACT



Impact Doors are engineered to withstand the force of flying objects, while maintaining all the benefits and beauty of our door aesthetic. Our Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique patent-pending process whereby a missile-proof shield is built-in to reinforce the door.




= HVHZ Option Available. Contact us for stock availability.



RESIDENTIAL ADA

ur Residential ADA doors are offered in a variety of styles that fulfill all compliances. From Modern to True White Oak, our Residential ADA series has a 10" bottom rail that allows a kick plate to be installed. We have the option to include reinforced blocking through a special order.







DOORLITE OVERVIEW

A beautifully designed entryway helps set the stage for the rest of the home and creates a welcoming passage from public space to private abode. Nothing accomplishes that better than our exclusive glass designs that improve the look and value of your home while adding beauty to your everyday living.



Our doorlites are composed of a piece of decorative glass sealed between two pieces of tempered safety glasses, that provide excellent safety, sound, and thermal performance. The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates your door & home for years to come. Unlike the competition, our metal caming includes a gasket that cushions & protects the glass from chipping, cracking, and rattling during door movement.


DOORLITE

INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

PERFORMANCE FEATURES

- Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind



*This illustration applies to our triple pane glass only.

GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.













CAMING: WROUGHT IRON

TRANSOM: AVAILABLE

Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance to a doors appearance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.

1 Wrought Iron

Waterfall Tempered Glass

PRIVACY RATING INCREASING OBSCURITY




PRISCILLA

CAMING: WROUGHT IRON TRANSOM: AVAILABLE

Priscilla's smooth swirl design pays tribute to Renaissance style. The wrought iron and little bubble glass gives the design a touch of grandeur, which is perfect for any home looking for an elegant flair.

- Wrought Iron
- Little Bubble Tempered Glass



PRIVACY RATING INCREASING OBSCURITY

ABERDEEN

CAMING: ZINC

TRANSOM: AVAILABLE

There is more than meets the eye. Although simple in design, Aberdeen gives a modern, clean profile, and its translucent reed glass is perfect for maintaining a high level of privacy to your home.

- Zinc Caming
- 2 Reed Glass

PRIVACY RATING
INCREASING OBSCURITY



ARTESANO


CAMING: PATINA
TRANSOM: AVAILABLE

Artesano's subtle hint of amber colored glass creates a warm welcoming feeling to any home. This arrangement is the ideal balance between a clear, simple pattern with a combination of glass textures.

- 1 Clear Hammer (100HS)
- 2 Patina Caming
- 3 Amber Glass
- 4 Sea Spray
- 5 Clear Bevel

PRIVACY RATING

INCREASING OBSCURITY



ARTESANO BREEZE

CAMING: ZINC


TRANSOM: AVAILABLE



Artesano's classic design is a tasteful blend of small and large geometric shapes. This pattern's transparent features work to create a sophisticated, decorative, and elegant look to any entry door.

- 1 Clear Hammer (100HS)
- 2 Zinc Caming
- 3 Clear Bevel
- 4 Sea Spray

PRIVACY RATING
INCREASING OBSCURITY ----->



BRENTWOOD

CAMING: ZINC OR PATINA **TRANSOM:** AVAILABLE





A classic inspired arrangement, our Brentwood piece epitomizes style. With bevel swirls and a bold centerpiece all outlined by a crystal granite border, Brentwood can be appreciated in any home.

- 1 Baroque
- ² Clear Bevel
- Bright Zinc, or Patina Caming
- 4 Granite

PRIVACY RATING
INCREASING OBSCURITY ---->




CAMING: PATINA TRANSOM: AVAILABLE



Inspired by the historical Spanish kingdom, Castile is as ornate as its nature and history. The baroque style glass balances the intricacy of its centerpiece with a straightlined, beveled border. Castile is the epitome of modern design.



- 2 Baroque
- 3 Patina Caming
- 4 Beveled



PRIVACY RATING

INCREASING OBSCURITY

KENSINGTON

CAMING: PATINA
TRANSOM: AVAILABLE




Kensington brings a classic English atmosphere to anyone's curb appeal. A combination of frosted glass and subtle line patterns gives a high level of charm to this distinct beauty.

- 1 100 Water
- 2 Clear Bevel
- 3 Narrow Reed
- 4 Sandblasted Glass
- 5 Patina Caming

PRIVACY RATING

INCREASING OBSCURITY




DOORLITE OVERVIEW

CAMING: PATINA
TRANSOM: AVAILABLE

This chevron pattern arrangement emphasizes clean-cut arrows with two toned glass colors. It provides a subtle charm to its otherwise simple pattern. The pale gray, water-like glass texture gives a sense of energy and renewal reminiscent of spring.

- 1 Light Water
- ² Clear Chord
- 3 Pale Gray Water
- 4 Patina Caming

PRIVACY RATING
INCREASING OBSCURITY -----



TABITHA

CAMING: PATINA
TRANSOM: AVAILABLE

A clustered flower atop Tabitha is the perfect accent to this romantic centerpiece. The mix of patterns and textures give the arrangement a fluid, contemporary design that will always be admired.

- 1 Granite
- 2 Double Water
- 3 Clear Bevel
- 4 Patina Caming

7

PRIVACY RATING

INCREASING OBSCURITY





SOLUTION DOORLITE SERIES




Clean lines, a straightforward design, these are the features that make Shaker doors timeless. A door that adds effortless style to any home needs a frame and glass to complement its unique features. The Solution series doorlites feature a low-profile, flat frame and patterned glass that was created to complement the clean, simple designs of our Shaker and flush doors.

The Solution Doorlite Series is available in various sizes, which makes it easy to create and customize an infinite number of contemporary looks. The screwless design eliminates holes and plugs and saves valuable time in installation as a traditional screw frame requires extra time to install screws and plugs. The frame features a patented interlocking joint and compression seal that adheres to the door and creates a powerful compression seal and bond. It safely locks decorative glass in place, while beautifully illuminating and bringing out the features of the glass. Its versatility matches many styles, such as Modern, Craftsman, Mid-Century, and so many more. There are no screw holes, is built to resist warping, and is available in a textured vertical grain pattern in both white and tan.

FEATURES & BENEFITS

- No unsightly plugs or screw holes.
- Available in white or tan.
- Textured vertical grain pattern.
- Matches various architectural styles.

- Shaker style low profile.
- Patented frame system.
- Built to resist warping.
- Easy Installation saving labor cost.



FRAME AND GLASS SELECTIONS

TEXTURE GLASS OPTIONS



CLEAR / LoE



WHITE LAMINATE



SANDBLAST



SABLE



ROOFTOP



NARROW REED

FRAME OPTIONS









^{*} AVAILABLE WITH DECORATIVE GLASS OPTIONS.

FRAME CONFIGURATION EXAMPLES



STAGGERED 5 LITE 8" x 6"



SIDE ALIGNED 6 LITE 8" × 6"



DIAMOND 4 LITE 8" x 8"



STAGGERED 4 LITE $8'' \times 8''$



CENTERED 4 LITE 8" x 8"



STAGGERED 3 LITE 3" x 22"



MODERN 4 LITE 22" × 3"



MODERN 6 LITE 22" x 3"



FOUR LITE 22" x 8"



FIVE LITE 22" x 8"



SIX LITE 22" x 8"



FOUR LITE 22" x 10"



THREE LITE 22" x 15"



DIVIDED 6 LITE W/ 4 LITE BOTTOM22" × 15" & 22" × 3"




SINGLE TOP LITE W/ 4 LITE BOTTOM22" x 15" & 22" x 3"



SINGLE TOP LITE 22" x 15"




SINGLE LITE 7" x 64"




TWIN FULL LITE 7" x 64"



STAGGERED TWIN LITE 8" × 36"



LIMITED SERIES





ur Limited Series was specifically selected to showcase some of the richest, luxury graining available. The Cherry, Knotty Alder, and Teak doors are fine, subtle, but detailed. Cherry is a premium American hardwood, prized for its natural luster and attractive grain. Knotty Alder is admired for its subtle swirls and rich grain pattern with sound knots. Teak is a worldwide favorite for it's beautiful straight, yet occasionally wavy or interlocked grain patterns. These grains exude an authentic wood grain and are so versatile they will complement any home.

DOOR OVERVIEW










■ 10" BOTTOM RAIL • IN STOCK • EXTENDED LEAD TIME



CHERRY TWO PANEL DOOR







CAMFL7



PCLFL7



ABRFL7Z





ARZFL7Z



BREFL7P/Z



6'8"

CASFL7P



KENFL7P



OXFFL7



SOLFL7P



6′8″

SPRFL7P




TABFL7P

IN STOCK

EXTENDED LEAD TIME

TWO PANEL DOOR





MODERN TEAK MILAN DOOR





KNOTTY ALDER TWO PANEL DOOR






DRK2B

IN STOCK

EXTENDED LEAD TIME



MODERN SERIES





he Modern Series effortlessly makes a contemporary design simpler. Our doors are designed to have a cleaner style by incorporating clean, simple lines and single patterned glass. This clean look can complement any homes interior and exterior.

OAK GRAIN SKIN

DMS5H80

DMS3H

DMS3H80

DMS5H

MODERN OAK SOUTH BEACH DOOR





MODERN OAK NAPOLI DOOR
















MODERN GLASS CLOSE UP





IN STOCK




MODERN SERIES

MODERN SMOOTH BIENVENUE DOOR











SABLE



LoE²

























8'0"



SABLE

MODERN GLASS CLOSE UP













MODERN SERIES

MODERN SMOOTH EMPIRE DOOR





MODERN SMOOTH INFINITY DOOR








RUSTIC SERIES





ur line of Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home. Doors in the Rustic Series display vertical planks, distinct panel details, and arched and radius tops. The Rustic Series only uses wrought iron glass and rustic accessories to reinforce that mid-century rustic look.

DOOR OVERVIEW

DRA2R80

DRA2F80

DRA2P80

DRA4R80

RUSTIC TRUE PLANK DOOR







RUSTIC ONE PANEL DOOR

ARCH PLANK & SQUARE TOP



DRA1A80

44 • IN STOCK



















6′8″



PCL344



PCL3R4

8′0″



CAM3R5 CAM3R6 (3'6") 8'0"



PCL3R5 PCL3R6 (3'6")

8'0"



CAMFL2



CAM3R4

PCLFL2

RUSTIC SERIES



GLASS OPTIONS





CAM344

6'8"



PCL344

6'8"



CAMFL7



PCLFL7

RUSTIC SERIES





GLASS OPTIONS

6'8"



CAM3R4

6'8"



PCL3R4

8'0"



CAM3R5 CAM3R6 (3'6")

8′0″



PCL3R5 PCL3R6 (3'6")

6'8"



DRA2D

GLASS OPTIONS

6'8"



CAM3R4

6'8"



PCL3R4

6'8"



CAM344

6'8"



PCL344



RUSTIC TWO PANEL DOOR

SQUARE PLANK & SQUARE TOP



DRA2P80

IN STOCK

• EXTENDED LEAD TIME



8′0″

CAMHL6 CAM346 (3'6")



8'0"

PCLHL6 PCL346 (3'6")



DRA2R80


RADIUS PANEL & SQUARE TOP

RUSTIC FOUR PANEL DOOR

8′0″



DRA4R80



RUSTIC SERIES ACCESSORIES

1.5" Square



ACCLP12Q

1.25" Square



ACCLP14Q

DECORATIVE CLAVOS

Plastpro Decorative Clavos provide the perfect accent to some of the most beautiful and highest quality fiberglass doors in the industry. In addition to providing a distinct and unique element to any fiberglass distressed door, our Decorative Clavos enhance our fiberglass entry doors, and provide the perfect "finishing touch" to virtually every Rustic Door we provide.

1.5" Round



ACCLP12R

1.25" Round



ACCLP14R

FEATURES & BENEFITS

- Easy to Apply
- Scientifically Formatted Adhesive Unique for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish



ACCLP14Q

23 (23 23 23 (23

8'0"

DRA1P80 ACCLP14Q



DRA2C ACCLP14R





DRA2C80



DRA1A80 ACCLP12Q



IN STOCK

EXTENDED LEAD TIME

Speakeasy



ACCSPKY0910KIT

Speakeasy



ACCSPKYGSB0KIT

SPEAKEASY & HINGE STRAP

Plastpro has extended its line of authentic door accessories with the addition of the Hinge Strap and a Speakeasy Kit. Our Hinge Straps and Speakeasy Kit are handcrafted from durable aluminum that resists rust and discoloration. The Speakeasy Kit comes with a distinctive rounded iron grill that enhances the old world styling of our Rustic Door Collection and helps to create a personalized look for your new entry way.

18" Hinge Straps





ACCHGSTP18

FEATURES & BENEFITS

- **Durable Powder Coat Finish**
- Combats Rust and Discoloration
- **Beautifully Textured**
- Masterfully Handcrafted

View In



DRA2D ACCSPKY0910KIT

View Out 8'0"



DRA2R80 ACCSPKY0910KIT

View In 6'8"



DRA2D ACCSPKYGSB0KIT

View Out



DRA2R80 ACCHGSTP18 ACCSPKYGSB0KIT

EXTENDED LEAD TIME

MAHOGANY SERIES






he Mahogany Series brings a beloved wood texture into traditional, timeless styles. Our doors come with classic panel designs that can carry all of our decorative glass designs. This series radiates beauty, elegance, and strength to your home.

DOOR OVERVIEW

EXTENDED LEAD TIME





MAHOGANY SERIES

MAHOGANY THREE PANEL DELUXE DOOR





BRE3V2P/Z

6'8"



CAS3V2P

6′8″



TAB3V2P

6'8"



BRE3V1P/Z





CAS3V1P



TABFL1P

IN STOCK

EXTENDED LEAD TIME

MAHOGANY SERIES

MAHOGANY FOUR PANEL EYEBROW DOOR



GLASS OPTIONS

6'8"



BREEYEP/Z

6'8"



BREHL2P/Z



BREFL1P/Z

MAHOGANY FOUR PANEL BLANK TOP DOOR

6'8"



GI ASS OPTIONS

6'8"



CASHR1P

6'8"



TABHR1P

6'8"



ARTHL4P ARTHL3P (2'6")

6′8″



ARZHL4Z ARZHL3Z (2'6")

6′8″



BREHL4P/Z

6'8"



CASHL4P CASHL3P (2'6")

6'8"



KENHL4P KENHL3P (2'6")

6'8"

6'8"



OXFHL4

6'8"



SOLHL4P SOLHL3P (2'6")

6'8"



SPRHL4P

6'8"



TABHL4P TABHL3P (2'6")

6'8"



CAMFL7 CAMFL5 (2'6")

6'8"



PCLFL7 PCLFL5 (2'6")



ABRFL7Z ABRFL5Z (2'6")



IN STOCK



ARTFL5P (2'6")



ARZFL7Z ARZFL5Z (2'6")



BREFL7P/Z



CASFL5P (2'6")



KENFL7P KENFL5P (2'6")



OXFFL7



SOLFL5P (2'6")

6'8"



SPRFL7P

6'8"

6'8"



TABFL7P TABFL5P (2'6")





ARZHL2Z

6'8"



BREHL2P/Z

6′8″



CASHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"

6'8"



SOLHL2P

6'8"

6'8"

ARTHL2P



SPRHL2P

6'8"





CAMFL1



6′8″



PCLFL1



ABRFL1Z



6'8"

ARTFL1P



ARZFL1Z



BREFL1P/Z

MAHOGANY SERIES

FOUR PANEL BLANK TOP DOOR













MAHOGANY TRUE FOUR PLANK DOOR



DRM41

MAHOGANY SERIES

IN STOCK

MAHOGANY SERIES

MAHOGANY SIX PANEL DOOR

























FIR SERIES





ur Fir Series features straight, fine vertical graining that produces outstanding results. Accessorized with: simulated divided lights (SDL) and a dentil shelf, it's no surprise it's become a favorite. These fir doors create fine details and give your home a traditional, craftsman appeal.

DOOR OVERVIEW

■ 10" BOTTOM RAIL
■ IN STOCK
■ EXTENDED LEAD TIME







♦ 20 MIN FIRE RATED

FIR CRAFTSMAN DOOR

DRF3C & DRF3C80 & MATCHING SIDELITES ARE ONLY AVAILABLE WITH GLASS





GLASS OPTIONS



FIR CRAFTSMAN DOOR

























FIR 2 PANEL SHAKER DOOR

- *GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.





6'8"

22"x 36" HALF LITE Solution Frame*

IN STOCK

EXTENDED LEAD TIME

FIR GRAIN

THREE PANEL CRAFTSMAN DOOR





*GLASS OPTIONS VIA SOLUTION FRAME - SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.

6′8″



22"x 15" Solution Frame*

6′8″



22"x 15" 3 LITE Solution Frame^{*}

6′8″



22"x 15" 6 LITE Solution Frame^{*}

6′8″



BRE2215P/Z Solution Frame

6'8"



SOL2215P Solution Frame

6'8"



SPR2215P Solution Frame

FIR 5 PANEL SHAKER DOOR


*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.



EXTENDED LEAD TIME



FIR SERIES ACCESSORIES



3 Lite



SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

6 Lite







ACSDF23004

FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

4 Block Dentil Shelf (DRF3C)



DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

4 Block Dentil Shelf (DRF3F)



ACDSFT2404

FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks

Affordable


OAK SERIES





ressed in a rich oak grain texture, our Oak
Series gives a classic look to your home.
Oak doors come in many panel designs.
Mix and match these styles with our entire glass
line to find the combination that best brings out
your homes unique characteristics. These doors
create a timeless look that will never go out of style.

DOOR OVERVIEW











CAMFL7 CAMFL5 (2'6")



PCLFL7 PCLFL5 (2'6")



ABRFL7Z ABRFL5Z (2'6")



ARTFL5P (2'6")



ARZFL7Z ARZFL5Z (2'6")



BREFL7P/Z

7′0″



6'8"

CASFL7P CASFL5P (2'6")

7′0″



KENFL7P KENFL5P (2'6")



OXFFL7





SPRFL7P



TABFL7P TABFL5P (2'6")



CAMFL7 CAMFL5 (2'6")



PCLFL7 PCLFL5 (2'6")

OAK GRAIN FLUSH PANEL DOOR



ABRFL5Z (2'6")



ARTFL5P (2'6")

7′0″



ARZFL7Z ARZFL5Z (2'6")

7′0″



BREFL7P/Z BREFL5P/Z (2'6")

8′0″



CASFL7P CASFL5P (2'6")

8'0"



KENFL7P KENFL5P (2'6")

8'0"



OXFFL7



SOLFL7 SOLFL5 (2'6")



SPRFL7

8′0″



TABFL7P TABFL5P (2'6")

8'0"



CAMFL8 CAMFL6 (2'6")

8′0″



PCLFL8 PCLFL6 (2'6")



ABRFL6Z (2'6")

8′0″



8'0"





BREFL8P/Z

8′0″



CASFL8P



KENFL8P

8'0"



OXFFL8



SOLFL8P



TABFL8P

8'0"



CAMFL1 & FL2



PCLFL1 & FL2



8'0"

ABRFL1Z & FL2Z



ARTFL1P & FL2P



8'0"

ARZFL1Z & FL2Z



8′0″

BREFL1P/Z & FL2P/Z



CASFL1P & FL2P



OAK SERIES

OAK GRAIN FLUSH PANEL DOOR





OAK 3/4 HERITAGE DOOR



GLASS OPTIONS

6′8″



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



TAB3V2P

6′8″



CAS343P

6'8"



BRE341P/Z

6'8"



CAS341P

6′8″



TAB341P





OAK 3/4 TWO PANEL DOOR





















OXF342













OAK SERIES

3/4 TWO PANEL DOOR



ARTFL7P



ARZFL7Z

8′0″



8'0"

BREFL7P/Z



8'0"

CASFL7P



KENFL7P



OXFFL7



SOLFL7P





SPRFL7P









CAMFL1



PCLFL1









8′0″



ARZ341Z & FL1Z

8'0"



BRE341P/Z & FL1P/Z



CAS341 & FL1P



KEN341 & FL1



OXF341 & FL1



8′0″

SOL341P & FL1P



SPR341P & FL1P



TAB341P & FL1P





BRE3V2P/Z

6'8"



CAS3V2P

6'8"



TAB3V2P

6′8″



CAS343P

6'8"



BREFL1P/Z

6'8"



CAS341P

6'8"



TAB341P

OAK SERIES







BRE3V2P/Z

6'8"



CAS3V2P

6'8"



TAB3V2P

6'8"




BRE3V1P/Z

6'8"

CAS3V1P

OAK 3/4 PANEL DOOR





OXFFL7

SOLFL7P

SPRFL7P

TABFL7P


OAK SERIES

BREFL7P/Z

KENFL7P

CASFL7P

3/4 THREE PANEL DOOR



OAK THREE PANEL DOOR





OAK FOUR PANEL BLANK TOP DOOR





CASHR1P

6'8"



TABHR1P





ARTHL4P





ARZHL4Z



BREHL4P/Z



CASHL4P



KENHL4P



OXFHL4



SOLHL4P



SPRHL4P



TABHL4P

FOUR PANEL BLANK TOP DOOR























TRUE FOUR PANEL DOOR







GLASS OPTIONS





6'8" & 7'0



ARZHL4Z

6'8" & 7'0



BREHL4P/Z

8'0"

6'8" & 7'0



CASHL4P

6'8" & 7'0



KENHL4P

8'0"

6'8" & 7'0



OXFHL4



6'8" & 7'0

SOLHL4P

6'8" & 7'0

ARTHL4P



SPRHL4P

6'8" & 7'0



TABHL4P



CAM342



PCL342



ART342P



ARZ342Z



BRE342P/Z



IN STOCK



TRUE FOUR PANEL DOOR



CAS342P



8′0″

KEN342P



8'0"

OXF342



SOL342P



SPR342P



TAB342P



ARTHL2P & 341P



ARZHL2Z & 341Z



8′0″

BREHL2P/Z & 341P/Z



CASHL2P & 341P



KENHL2P & 341P



OXFHL2 & 341



SOLHL2P & 341P



SPRHL2P & 341P



TABFL1P & 341P

OAK 3/4 FOUR PANEL DOOR





CAM342





PCL342



ART342P

6′8″



ARZ342Z

6'8"



BRE342P/Z



6'8"

CAS342P



6'8"

KEN342P

6'8"



OXF342

6'8"



SOL342P



SPR342P



TAB342P

3/4 FOUR PANEL DOOR







ARZ341Z



BRE341P/Z



CAS341P



KEN341P



OVE24



SPD3/11







6′8″

TAB341P





OAK SERIES

OAK SIX PANEL CRAFTSMAN DOOR

6'8"



DRG6C



OAK GRAIN ACCESSORIES AVAILABLE ON PAGE 99

GLASS OPTIONS

6'8"



ARTTL3P

6'8"



ARZTL3Z

6'8"



BRETL3P/Z

6'8"



OXFTL3

6'8"



SOLTL3P

6'8"



SPRTL3P









OAK SERIES

OAK SIX PANEL UTILITY DOOR









ARTHL4P



ARZHL4Z

6′8″



BREHL4P/Z



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

7′0″



ARTHL4P



7′0″



ARZHL4Z

7′0″



BREHL4P/Z

7′0″



KENHL4P



OXFHL4



7′0″





TABHL4P

8′0″



8′0″

ART342P

8′0″





8'0"

BRE342P/Z



CAS342P



KEN342P



OXF342



SOL342P



SPR342P









BREHL2P/Z



CASHL2P



KENHL2P



OXFHL2



SOLHL2P



SPRHL2P



TABFL1P

OAK SERIES



OAK TRUE SIX PANEL NARROW DOOR



GLASS OPTIONS



ARTHL4P

ARZHL4Z

6'8"

6′8″

BREHL4P/Z

6'8"



CASHL4P

6′8″



KENHL4P

6'8"



OXFHL4



6'8"

SOLHL4P

6'8"



SPRHL4P





TABHL4P

IN STOCK

EXTENDED LEAD TIME

TRUE SIX PANEL NARROW DOOR





















OAK EIGHT PANEL DOOR





6'8" 6'8" 6'8"

CAM8C2 PCL8C2

ART8C2P

6'8"

ARZ8C2Z







6'8"

CAM8C2

PCL8C2Z







OAK SERIES

OAK NINE PANEL DOOR

6'8"



DRG90

GLASS OPTIONS

6'8"



BRE9P1P/Z

6'8"



SPR9P1P

8'0"



DRG9180

8'0"



ART341P

8′0″



ARZ341Z

8′0″



BRE341P/Z

8′0″



CAS341P

8'0"



KEN341P

8'0"



OXF341

8'0"



SOL341P

8′0″



SPR341P



TAB341P



• IN STOCK

EXTENDED LEAD TIME

OAK SERIES ACCESSORIES



4 Block Dentil Shelf



ACDSGT2704

DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

16 Block Dentil Shelf



ACDSGT2716

FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

6'8"



DRG6C ARTTL3P ACDSGT2704

6'8"



DRG6C BRETL3Z ACDSGT2716

6'8"



DRG6C SOLTL3P ACDSGT2716

6'8"




DRG6C SPRTL3P ACDSGT2704

SMOOTH SERIES



ur Smooth Series are made with a prepigmented white skin; its simplicity gives a modern design and feel to any home. Our Smooth skin incorporated with a variety of panel designs and glass options, gives a clean, minimal look to any of our fiberglass doors.


DOOR OVERVIEW




DOOR OVERVIEW



SMOOTH FLUSH PANEL DOOR







GLASS OPTIONS



CAMFL7 CAMFL5 (2'6")



PCLFL7 PCLFL5 (2'6")



ABRFL7Z ABRFL5Z (2'6")

6'8"



ARTFL7P ARTFL5P (2'6")

6'8"



ARZFL7Z ARZFL5Z (2'6")

6'8"



BREFL7P/Z BREFL5P/Z (2'6")

7′0″



6'8"

CASFL7P CASFL5P (2'6")



KENFL7P KENFL5P (2'6")



OXFFL7



SOLFL7 SOLFL5 (2'6")



SPRFL7



TABFL7P TABFL5P (2'6")



CAMFL7 CAMFL5 (2'6")



PCLFL7 PCLFL5 (2'6")



IN STOCK



ABRFL7Z ABRFL5Z (2'6")



ARTFL7P ARTFL5P (2'6")

7′0″



ARZFL7Z ARZFL5Z (2'6")

7′0″



7′0″

BREFL7P/Z BREFL5P/Z (2'6")

8′0″



7′0″

CASFL7P CASFL5P (2'6")

8'0"



KENFL7P

8'0"



OXFFL7

8'0"



SOLFL7P SOLFL5P (2'6")



SPRFL7P

8'0"



TABFL7P TABFL5P (2'6")

8′0″



CAMFL8 CAMFL6 (2'6")

8′0″



PCLFL8 PCLFL6 (2'6")

8′0″



ABRFL8Z ABRFL6Z (2'6")

8′0″



8'0"



ARZFL8Z



BREFL8P/Z



CASFL8P



KENFL8P



OXFFL8



SOLFL8P



TABFL8P

8′0″



CAMFL1 & FL2



PCLFL1 & FL2



8'0"

ABRFL1Z & FL2Z



8'0"

ARTFL1P & FL2P



8'0"

ARZFL1Z & FL2Z



8′0″

BREFL1P/Z & FL2P/Z



CASFL1P & FL2P



SMOOTH SERIES

SMOOTH FLUSH PANEL DOOR









ARTHL4P



ARZHL4Z



6′8″

BREHL4P/Z

8'0"







KENHL4P

8'0"



OXFHL4

8'0"







TABHL4P

CAM342

8'0"

PCL342

ART342P

ARZ342Z



BRE342P/Z

SMOOTH SERIES

SMOOTH TWO PANEL DOOR







KEN342P



OXF342



SOL342P



SPR342P



TAB342P



ARTHL2P & FL1P ART341P & FL2P



ARZHL2Z & FL1Z ARZ341Z & FL2Z



BREHL2P/Z & FL1P/Z ARZ341P/Z & FL2P/Z



CASHL2P & FL1P CAS341P & FL2P



KENHL2P & FL1P KEN341P & FL2P



OXF341 & FL2



SOLHL2P & FL1P SOL341P & FL2P



SPRHL2P & FL1P **SPR341P & FL2P**



TAB341P & FL2P

SMOOTH TWO PANEL DOOR









ARZHL4Z

6′8″















SPRHL4P













SMOOTH TWO PANEL DOOR





KEN342P



OXF342



SOL342P



SPR342P



TAB342P



ARTHL2P & FL1P ART341P



ARZHL2Z & FL1Z ARZ341Z



BREHL2P/Z & FL1 BRE341P/Z



CASHL2P & FL1 CAS341P



KENHL2P & FL1 KEN341P



OXFHL2 & FL² OXF341



SOLHL2P & FL1P SOL341P



SPRHL2P & FL1P SPR341P



TABFL1P TAB341



COTTAGE TWO PANEL DOOR





GLASS OPTIONS

6′8″



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6′8″



KENHL4P

8'0"



6'8"



6'8"

OXFHL4

8'0"

SOLHL4P



SPRHL4P



TABHL4P



CAM342



PCL342



ART342P



ARZ342Z



BRE342P/Z



IN STOCK



SMOOTH COTTAGE TWO PANEL DOOR



CAS342P



KEN342P



OXF342



SOL342P



SPR342P



TAB342P



ARTHL2P & FL1P ART341P



ARZHL2Z & FL1Z ARZ341Z



BREHL2P/Z & FL1F BRE341P/Z



CASHL2P & FL



KENHL2P & FL KEN341P



OXFHL2 & FL OXF341



SOLHL2P & FL1P SOL341P



SPRHL2P & FL1P SPR341P



TABFL1P TAB341P

SMOOTH 3/4 HERITAGE DOOR



GLASS OPTIONS







CAS3V2P



TAB3V2P



CAS343P





SMOOTH SERIES

114





SMOOTH 3/4 TWO PANEL DOOR







CAM342



6′8″

PCL342





ART342P



ARZ342Z



BRE342P/Z

8'0"





CAS342P



KEN342P

6'8"

OXF342





SPR342P



TAB342P



CAMFL7




PCLFL7



ABRFL7Z



3/4 TWO PANEL DOOR



KEN341P KENFL1P OXF341 OXFFL1 SOL341P SOLFL1P SPR341P SPRFL1P TAB341P TABFL1P



SMOOTH DIRECT GLAZE CRAFTSMAN







GLASS OPTIONS 6'8" G000 8'0"





















SMOOTH SERIES

SMOOTH 3/4 ELITE DOOR



GLASS OPTIONS





BRE3V2P/Z

6'8"



CAS3V2P

6'8"



TAB3V2P

6′8″



CAS343P

6'8"



BREFL1P/Z

6′8″



CAS341P

6′8″



TAB341P

120

SMOOTH 3/4 PREMIUM DOOR





BRE3V2P/Z

6′8″



CAS3V2P



TAB3V2P

6'8"



BRE3V1P/Z





CAS3V1P



6′8″

TABFL1P





SMOOTH 3/4 PANEL DOOR







BRE3V3P/Z

8'0"



BREFL7P/Z



CAS3V3P

8'0"



CASFL7P



CAMFL7



KENFL7P



PCLFL7



OXFFL7



ABRFL7Z



SOLFL7P



ARTFL7P



SPRFL7P



ARZFL7Z



TABFL7P



121

3/4 THREE PANEL DOOR



SMOOTH THREE PANEL DOOR



SMOOTH SERIES



SMOOTH FOUR PANEL BLANK TOP DOOR



GLASS OPTIONS



CASHR1P

6'8"



TABHR1P

6'8"



ARTHL4P ARTHL3P (2'6")

6′8″



ARZHL4Z ARZHL3Z (2'6")

6′8″



BREHL4P/Z

6'8"



CASHL4P CASHL3P (2'6")

6′8″



KENHL4P KENHL3P (2'6")

6'8"



OXFHL4

6′8″



SOLHL4P SOLHL3P (2'6")

6'8"



SPRHL4P

6'8"



TABHL4P TABHL3P (2'6")



IN STOCK

EXTENDED LEAD TIME

FOUR PANEL BLANK TOP DOOR







ARZHL2Z



BREHL2P/Z





KENHL2P














6'8"

TABFL1P



SMOOTH TRUE FOUR PANEL DOOR













ARZHL4Z



BREHL4P/Z



CASHL4P/Z



KENHL4P

7′0″



OXFHL4



SOLHL4P

7′0″



SPRHL4P



TABHL4P



7′0″

ARZHL4Z



BREHL4P/Z



CASHL4P



KENHL4P




IN STOCK



TRUE FOUR PANEL DOOR

8′0″

8'0"





SOLHL2P & 341P





8′0″

TABFL1P & 341P

SMOOTH 3/4 FOUR PANEL DOOR







CAM342

6′8″



PCL342

6'8"

6′8″



ART342P

6'8"



ARZ342Z

6'8"



BRE342P/Z

6'8"



CAS342P



KEN342P

6'8"



OXF342



SOL342P



SPR342P



TAB342P








3/4 FOUR PANEL DOOR







SMOOTH SIX PANEL CRAFTSMAN DOOR







SMOOTH SIX PANEL DOOR



























SMOOTH SIX PANEL UTILITY DOOR







GLASS OPTIONS





























SPRHL4P

SIX PANEL UTILITY DOOR













































SMOOTH

TRUE SIX PANEL NARROW DOOR





ARTHL4P

6'8"



ARZHL4Z



BREHL4P/Z



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

IN STOCK

EXTENDED LEAD TIME

TRUE SIX PANEL NARROW DOOR

















SMOOTH EIGHT PANEL DOOR









6′8″



PCL8C2

6′8″



ART8C2P

6′8″



ARZ8C2Z



BRE8C2P/Z



8'0"

BRE8C3P/Z



8'0"

CAS8C3P



6′8″

CAM8C2

CAM8C2



PCL8C2Z





ART8C2P



ARZ8C2Z



BRE8C2P/Z

SMOOTH SERIES

SMOOTH NINE PANEL DOOR

6'8"



GLASS OPTIONS

6'8"



BRE9P1P/Z

6′8″



SPR9P1P



SHAKER PROFILE

The straightforward shaker design showcases the beauty that minimal design can offer. Our shaker focuses on simplicity and is easily adaptable for any home's exterior.

SMOOTH TWO PANEL SHAKER DOOR

*GLASS OPTIONS VIA SOLUTION FRAM

- SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.




6'8"

22"x 36" HALF LITE Solution Frame*

IN STOCK

EXTENDED LEAD TIME

SMOOTH THREE PANEL CRAFTSMAN DOOR







22"x 15" Solution Frame*



22"x 15" 3 LITE Solution Frame*



22"x 15" 6 LITE Solution Frame^{*}



BRE2215P/Z Solution Frame



SOL2215P Solution Frame



SPR2215P Solution Frame



*GLASS OPTIONS VIA SOLUTION FRAME - SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.






22"x 8" 1 LITE 5 PANEL Solution Frame*

6′8″



22"x 8" 2 LITE 5 PANEL Solution Frame*





SMOOTH SERIES ACCESSORIES

3 Lite



6'8" ACSDW23005 8'0" ACSDW23001

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

6 Lite



8'0" ACSDW23000

Sidelite



ACSDW23004

FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.



DRS3CG000 SLF30 ACSDW23005 G000 ACDSSW2704

8'0" 8'0"

DRS3C80G000 SLS3C80ACSDW23001 G000
ACDSSW2704



DRS3CG000 SLS3CG000 ACSDW23006 ACSDF23004 ACDSSW2704




DRS3C80G000ACSDW23002
ACDSSW2704

ACSDF23004



DRS6C SPRTL3P ACDSSW2404

ACCESSORIES







ACDSSW2404

4 Block Dentil Shelf (DRS3C)



ACDSSW2704

16 Block Dentil Shelf



ACDSSW2716


DENTIL SHELF


Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable


WHITE OAK SERIES






he White Oak Series combines the best features of our Smooth and Oak Doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin. With many choices of decorative glass to choose from, create a look that is both timeless and modern.

DOOR OVERVIEW





WHITE OAK FLUSH PANEL DOOR











CAMFL5 (2'6")

6'8" & 7'0"



PCLFL5 (2'6")

6'8" & 7'0"



ABRFL7Z ABRFL5Z (2'6")

6'8" & 7'0"



ARTFL5P (2'6")

6'8" & 7'0"



ARZFL7Z ARZFL5Z (2'6")

6'8" & 7'0"



BREFL5P/Z (2'6")

8'0"

6'8" & 7'0"



CASFL7P CASFL5P (2'6")

6'8" & 7'0"



KENFL7P KENFL5P (2'6")

6'8" & 7'0"



OXFFL7



6'8" & 7'0"





6'8" & 7'0"



SPRFL7

6'8" & 7'0"



TABFL7P TABFL5P (2'6")



CAMFL8 CAMFL6 (2'6")



PCLFL8 PCLFL6 (2'6")



IN STOCK



WHITE OAK FLUSH PANEL DOOR



ABRFL8Z ABRFL6Z (2'6")



ARTFL8P

8′0″



ARZFL8Z



8'0"

BREFL8P/Z



8'0"

CASFL8P



8'0"

KENFL8P



8'0"

OXFFL8



SOLFL8P







CAMFL1 & FL2



PCLFL1 & FL2



ABRFL1Z & FL2Z



ARTFL1P & FL2P

8'0"



ARZFL1Z & FL2Z

8′0″



BREFL1P/Z & FL2P/Z



CASFL1 & FL2



KENFLP1 & FL2P



OXFFL1 & FL2



8′0″





TABFL1P & FL2P

WHITE OAK FOUR PANEL BLANK TOP DOOR





CASHR1P



TABHR1P



ARTHL4P









6'8"



6'8"



OXFHL4



SOLHL4P



TABHL4P

6'8"

6'8"

ARTHL2P



ARZHL2Z



BREHL2P/Z



IN STOCK

EXTENDED LEAD TIME

TRUE WHITE OAK SERIES

FOUR PANEL BLANK TOP DOOR





WHITE OAK SERIES

150

WHITE OAK TRUE FOUR PANEL DOOR









ARTHL4P

6′8″



ARZHL4Z



BREHL4P/Z



CASHL4P

6'8"



KENHL4P



OXFHL4



SOLHL4P

6'8"



SPRHL4P



TABHL4P







FOUR PANEL DOOR








WHITE OAK SIX PANEL DOOR







CAS341P/Z

SPR341P

ARTFL1P

ARZFL1Z

SPRFL1P

WHITE OAK SERIES

WHITE OAK SIX PANEL UTILITY DOOR











ARZHL4Z



BREHL4P/Z

7′0″



CASHL4P

7′0″



KENHL4P

7′0″



OXFHL4



SOLHL4P



SPRHL4P



TABHL4P



ARTHL4P



ARZHL4Z



BREHL4P/Z



CASHL4P





7′0″



7′0″



7′0″



TABHL4P



ARTHL2P



ARZHL2Z



BREHL2P/Z



CASHL2P



KENHL2P



OXFHL2



SOLHL2P



SPRHL2P





TABFL1P



WHITE OAK SERIES

WHITE OAK TRUE SIX PANEL NARROW DOOR



DRW63



ARTHL4P



SLW60

ARZHL4Z









OXFHL4



SOLHL4P



SPRHL4P



TABHL4P


IN STOCK

EXTENDED LEAD TIME

SIX PANEL NARROW DOOR







ONELITE SERIES





SMOOTH FINISH

MAHOGANY GRAIN

ur Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door. Doors are available in Double-Insulated Tempered Glass, LowE, Grid Between Glass (GBG), or MiniBlinds.

This model complies with ADA standards and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.



DRG12 Oak Grain



DRS12 Smooth



DRS13 Smooth



DRS1380 Smooth



DRM13 Mahogany



DRSM1380 Mahogany

SMOOTH ADA DOOR



DRS11LowE / Sound Barrier



DRS1170 LowE / Sound Barrier



DRS1180 LowE / Sound Barrier

SPECIAL ORDER
Sound Barrier Glass (STC:34) 3'6" and 4'0" widths

IN STOCK

EXTENDED LEAD TIME

FEATURES & BENEFITS



ONELITE FLUSH GLAZED HALF LITE DOOR



GI ASS OPTIONS





LowE

6'8"



G09

6′8″



MINIBLIND Clear / LowE

6'8"



LowE



MINIBLIND

ONTELITE SERIES

ONELITE FLUSH GLAZED HALF LITE DOOR



GLASS OPTIONS





ONTELITE SERIES

ONELITE FLUSH GLAZE 3/4 LITE DOOR











6'8"



163

ONELITE FLUSH GLAZED 3/4 LITE DOOR





GLASS OPTIONS





ONELITE SERIES ACCESSORIES

ONELITE SERIES ACCESSORIES



AVAILABLE IN SMOOTH & MAHOGANY





SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

Sidelite



FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture, and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling from the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.










NOVA SERIES





SMOOTH FINISH

BRUSHED SMOOTH FINISH

he Nova series features glass that is directly glazed into the door to create a seamless blend between the glass and door. The large pane glass allows for the greatest views and amount of light into your home; brightening up the space and filling it with energy. Nova comes in two sticking profiles: craftsman and square. The series is available in both Smooth, Fir and Brushed Smooth Finish.

NOVA 45 SMOOTH FINISH & FIR GRAIN



NOVA 90 BRUSHED SMOOTH FINISH



NOVA 45 **DIRECT GLAZED**




8'0" DRS1D80L

6'8" • 2'6" • 2'8" • 3'0" DRF1DL



IN STOCK

EXTENDED LEAD TIME



NOVA 45 FEATURES & BENEFITS


- 1 COMPOSITE STILE CAP
- **2 FULL LENGTH LVL** (Hinge & Strike side, for extra rigidity)
- 3 INSULATED 34" GLASS (LoE 272)
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 LEAK PROTECTION GLAZING TAPE
- **6** INTEGRALLY MOLDED GLASS STOP
- 7 HIGH INSULATION RIGID FOAM
- 8 ADA COMPLIANT BOTTOM RAIL
- O COMPOSITE BOTTOM RAIL



NOVA 90 DIRECT GLAZED







FEATURES & BENEFITS

- **1** COMPOSITE STILE CAP
- 2 FULL LENGTH LVL (Hinge & Strike side, for extra rigidity)
- 3 WOOD BLOCKING (For structural support)
- 4 STEEL BEAM (Hi nge & Strike side, for extra rigidity)
- 5 INSULATED 1" GLASS
- **6** COMPRESSION MOLDED FIBERGLASS SKIN
- BRUSH FINISHED TEXTURE
- **1 INTEGRALLY MOLDED GLASS STOP**
- **9** HIGH DENSITY POLYURETHANE FOAM
- **10** ADA COMPLIANT BOTTOM RAIL
- **11** COMPOSITE BOTTOM RAIL



STAIN KIT & STAINING GUIDES

Plastpro Stain Kit is an easy way to stain your fiberglass door exactly how you want for you home.

We've created easy step-by step directions using our stain kit to make staining your door a breeze. These staining instructions were created for staining our oak, rustic, fir, cherry, and mahogany skin series.

Our kit is designed exclusively for Plastpro fiberglass entry doors.



STAIN KIT

Plastpro Stain Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.

BENEFITS & ADVANTAGES

- Protects the door from the sun, UV rays, and harsh winter weather.
- Faster drying time with environmentally friendly water based top coat. Easy to apply
- Special formula with long lasting vibrant colors.

BOX CONTAINS

- Zar® Exterior Water Base Polyurethane (qt)
- Zar® Wood Stain (pt)
- Mineral Spirits (4 oz.)
- Two 2" Foam Brushes
- One 2.5" Synthetic Bristle Brush

- Cheese Cloths
- Two Stir Sticks
- One Pair of Latex Gloves
- Door Staining Instructions
- Two Skin Samples



STAIN COLOR OPTIONS

The kit comes in seven different stain variations. Depending on your desired shade, you may need to apply the stain more than once for a darker finish. *Actual stain color may vary. To achieve the best results, test on the skin sample first.















MATERIALS NEEDED

PLASTPRO'S PRE-FINISH KIT OR:

- A. Pre-Mixed Stain (1/2 pint)
- B. Mineral Spirits (4 fl. oz.)
- C. Top Coat/Sealer (20 fl. oz.)
- D. Two Clean Cloth
- E. One Pair Protective Gloves

- F. 3" China Bristle Brush
- G. Two Stir Sticks
- H. Two Skin Samples
- I. Finishing Instruction

STAINING INSTRUCTIONS FOR GRAINED DOORS & PF™ DOOR FRAMES



STEP 1: SURFACE PREPARATION

- 1. Lay door horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want stained such as the glass insert.
- 3. DO NOT SAND GRAINED FIBERGLASS / PF™ DOOR FRAMES
- 4. Wipe the Door / PF™ Door Frame with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.



STEP 2: STAIN APPLICATION

- 1. Starting at the center of the Door / PF™ Door Frame, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door / PF™ Door Frame grain.
- 2. With a clean, lint free 24" x 24" cloth, softly wipe the surface until you reach your desired tone. TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door / PF^{TM} Door Frame.
- 3. After all stain is brushed evenly, you may ad finishing touches by using a small 1" to 2" brush or cotton swabs.
- 4. (If desired) Allow the Door / PF™ Door Frame to dry for at least 48 hours before applying another coat. Then, repeat above process.



STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR^{TM} Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

- 1. After stain has completely dried (48 hours), mix the top coat well and apply evenly using a clean dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
- 2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.
- Staining instructions are for Oil-Based, Premium Quality Wood Stains or similar product designed for use on a fiberglass surface. Please note the instructions indicated are specific to the Zar brand stain included in our stain kit. Please reference stain manufacturers instructions before applying any stain.

MATERIALS NEEDED

- A. Lint-free cloth
- B. Mineral Spirits
- C. Rubber gloves
- D. Masking tape

E. 4" Bristle Brush

F. For Water-based Application: Acrylic-based primer*/ acrylic latex-based exterior grade paint.

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS



STEP 1: SURFACE PREPARATION

- 1. Lay door horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert
- 3. DO NOT SAND GRAINED FIBERGLASS.
- 4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
- 5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors which have been bored and mortised for hardware should be primed inside of the lock bore as well
- 6. The primer must be completely dry before applying the topcoat.



STEP 2: PAINTING

- 1. Apply exterior grade paint with 4" brush beginning with the panels.
- 2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- 3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

CAUTION

- 1. Uhen using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
- 2. When working with paints or solvents, make sure the working area is well ventilated.
- 3. Keep away from heat and flame as materials may be combustible.
- 4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
- 5. Keep out of reach of children.

IMPORTANT TO NOTE:

• It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

MATERIALS NEEDED

- A. Lint-free Cloth
- B. Mineral Spirits
- C. Rubber Gloves
- D. Masking Tape
- E. 4" Bristle Brush

F. For Water-based Application: Acrylic-based primer* / acrylic latex-based exterior grade paint.

G. Scotch Brite Pad (Fine) or 320-400 grit sandpaper

(For Smooth Doors Only)

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS FOR DOORS & PF™ DOOR FRAMES




STEP 1: SURFACE PREPARATION

- 1. Lay door horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
- 3. Smooth Doors only. Lightly scuff sand the surface with a Scotch Brite pad or fine sand paper. DO NOT SAND GRAINED FIBERGLASS.







7. The primer must be completely dry before applying the topcoat.





STEP 2: PAINTING

- 1. Apply exterior grade paint with 4" brush beginning with the panels.
- 2. It is a common practice to paint both door stiles, or both PF™ Door Frame sides, the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- 3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

CAUTION

- 1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro Inc. makes no representations as to the proper use of other manufacturers' products.
- 2. When working with paints or solvents, make sure the working area is well ventilated.
- 3. Keep away from heat and flame as materials may be combustible.
- 4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
- 5. Keep out of reach of children.

IMPORTANT TO NOTE:

• It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

TESTING RESULTS

ASTM D1761 Screw holding capacity.

NWWDA TM-7 Cycle slam test.

NWWDA TM-8 Hinge load resistance test.

ASTM E 283 Air infiltration.

ASTM E 331 / E 547 Water resistant.

ASTM E 330 Uniform structural load.

ASTM E1886 / E1996 Impact / cycle test.

AAMA 1304 Forced entry resistance test.

TAS 201 Impact test.

TAS 202 Air / water / structural test.

TAS 203 Wind pressure cycle test.

NFRC 100 / 200 / 500 Energy efficiency.

ASTEM E90 / STC / OITC Sound transmission.

ULC 10 C / NFPA 252 / ASTM E 2074 Fire rated.

CDPH / EHLB METHOD V1.1 2010 Volatile organic chemical emission test.

JIS Z 2801:2001 Antimicrobial products test.

ASTM D1413-07 Antifungal wood plastic composite test.

CSFM 12-7A-1 Exterior wildfire exposure test.

AAMA 1702 Exterior door test for manufactured housing.

AAMA 920 Operating cycle test.

AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)

North America fenestration test.

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at www.plastproinc.com or contact our Customer Service Department at 1 (800) 779-0561.

TESTING RESULTS

PRODUCT INDEX

Easily locate Plastpro Doors, PF^{TM} Door Frames and accessories within the catalog.

PG 177 - 182

PFTM DOOR FRAMES

CATEGORY	NAME	AVAILABLE GRAINS	PAGE
	4-9/16" Door Frame	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	5-1/4" Door Frame	Primed, White Capped	7 - 9
	6-9/16" Door Frame	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	7-1/4" Door Frame	Primed, White Capped	7 - 9
	WM180 Florida Brickmold	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	WM176 Brickmold	Oak Grain, Primed	7 - 9
	1-1/2" x 1" Mull Post Cover	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	2" x 1" Mull Post Cover	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	Mull Post Cap	Oak Grain, PVC - White	7 - 9
	Mull Post w/ LVL-3P	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	1" x 2" Stuccomold	Primed	7 - 9
DOOR	6'8" & 8'0" Astragal	PVC - White	7 - 9
FRAME	.551" x 8'4" Sidelite Stopper	Oak Grain, Primed	7 - 9
	Nailing Fin	Oak Grain, Primed, White Capped	7 - 9
	J-Channel	Oak Grain, Primed, White Capped	7 - 9
	Flat casing	Oak Grain, Primed, White Capped	7 - 9
	Flat Casing J-Channel	Oak Grain, Primed, White Capped	7 - 9
	Trim Boards	PVC - White	7 - 9
	1-1/4" x 3" Jamb Extension	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	1" x 2-1/2" Storm Door Adapter	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	1" x 3" Storm Door Adapter	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	4-9/16" Transom Sill	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	6-9/16" Transom Sill	Oak Grain, Fir Grain, Mahogany, Primed, White Capped	7 - 9
	PF™ Arch & Radius Headers	Oak Grain	7 - 9

FIBERGLASS ENTRY SYSTEMS

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
	DRC21	6'8"	3′0″	Two Panel	30 - 31
	DMT51	6′8″	2'8", 2'10", 3'0", 3'6"	Modern Teak Milan Door	32
LIMITED	DMT5170	7′0″	3′0″, 3′6″	Modern Teak Milan Door	32
	DRK2B	6′8″	2'8", 2'10", 3'0"	Two Panel	33
	DMG46	6′8″	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	36
	DMG4680	8′0″	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	36
	DMG51	6′8″	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	36
	DMG5180	8′0″	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	36
	DMS1L	6′8″	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	37
MODERN	DMS1L80	8′0″	3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	37
	DMS1R	6′8″	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	38
	DMS1R80	8′0″	3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	38
	DMS1T	6′8″	2'6", 2'8", 2'10", 3'0", 3'6"	Martinique Twin Lite, Smooth Skin	39
	DMS1T80	8′0″	3'0", 3'6"	Martinique Twin Lite, Smooth Skin	39
	DMS3HI	6′8″	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	40

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
	DMS3H80I	8′0″	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	40
MODERN	DMS5HI	6′8″	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	40
	DMS5H80I	8′0″	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	40
	DRATP	6′8″	2'6", 3'0", 3'6"	True Plank, Square Top	44
	DRATP70	7′0″	3′0″	True Plank, Square Top	44
	DRATP80	8′0″	2'6", 3'0", 3'6"	True Plank, Square Top	44
	DRA1A80	8′0″	3′0″, 3′6″	One Panel, Arch Plank	44
	DRA1P	6′8″	3′0″″	One Panel, Square Plank	45
	DRA1P80	8′0″	3'0", 3'6"	One Panel, Square Plank	45
	DRA2A	6′8″	3′0″	Two Panel, Arch Plank	46
	DRA2A80	8′0″	3′0″, 3′6″	Two Panel, Arch Plank	46
	DRA2B	6′8″	3′0″	Two Panel, Square Panel	47
	DRA2C	6′8″	3′0″″	Two Panel, Arch Plank, Arch Top	48
	DRA2C80	8′0″	3'0", 3'6"	Two Panel, Arch Plank, Arch Top	48
RUSTIC	DRA2D	6′8″	3′0″, 3′6″	Two Panel, Arch Panel	49
	DRA2F80	8′0″	3′0″	Two Panel, Radius Panel, Radius Top	50
	DRA2P80	8′0″	3′0″, 3′6″	Two Panel, Square Plank	50
	DRA2R80	8′0″	3′0″	Two Panel, Radius Panel	51
	DRA4R80	8′0″	3′0″, 3′6″	Four Panel, Radius Panel	51
	ACCLP12Q	1 1/2"	1 1/2"	Square Clavos	52
	ACCLP14Q	1 1/4"	1 1/4"	Square Clavos	52
	ACCLP12R	1 1/2"	1 1/2"	Round Clavos	52
	ACCLP14R	1 1/4"	1 1/4"	Round Clavos	52
	ACCHGSTP18	2 1/9"	18"	Wrought Iron Hinge Strap	53
	ACCSPKY0910KIT	15 1/4"	8 3/4"	Wrought Iron Speakeasy	53
	ACCSPKYGSB0KIT	11 %,"	9 8/9"	Wrought Iron Speakeasy	53
	DRM3D	6′8″	3′0″	Three Panel Deluxe	56
	DRM4E	6′8″	3′0″	Four Panel Eyebrow	57
MAHOGANY	DRM40	6′8″	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	58 - 60
WAIIOGANI	DRM41	6′8″	3′6″	True Four Panel	60
	DRM60	6′8″	3′0″	Six Panel	61
	DRM6080	8′0″	3'6"	Six Panel	61
	DRF3C	6′8″	3′0″	Direct Glazed Craftsman	64 - 65
	DRF3C80	8′0″	3′0″	Direct Glazed Craftsman	64 - 65
	DRF1K	6′8″	2'8", 2'10", 3'0"	One Panel Square Top Shaker	66
	DRF2K	6′8″	2'8", 2'10", 3'0"	Two Panel Square Top Shaker	66
FIR GRAIN	DRF3F	6′8″	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	67
	DRF3F80	8′0″	3′0″	Three Panel Shaker Craftsman	67
	DRF50	6′8″	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	68
	ACDSFT2704	3 5/8"	27"	4 Block Dentil Shelf (DRF3C)	69
	ASDSFT2404	3 5/8"	24"	4 Block Dentil Shelf (DRF3F)	69
	ACSDF23001	1 1/2"	17 ½" (4 pcs)	3-Lite SDL Bars for 6'8" Door	69
	ACSDF23005	1 1/2"	23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	69
	ACSDF23002	1 1/2"	25 ¾" (2 pcs), 8 ½"/32" (8 pcs)	6-Lite SDL Bars for 6'8" Door	69
	ACSDF23006	1 1/2"	26" (2 pcs), 11 ³ / ₁₆ " (8 pcs)	6-Lite SDL Bars for 8'0" Door	69

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
FIR GRAIN	ACSDF23004	1 ½"	8 ³ / ₄ " (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	69
	DRG00	6′8″	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	72 - 74
	DRG0070	7′0″	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	72 - 74
	DRG0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	72 - 74
	DRG20	6′8″	3'0"	3/4 Heritage	75
	DRG29	6′8″	2'8", 2'10", 3'0"	3/4 Two Panel	76 - 77
	DRG2980	8′0″	2'8", 2'10", 3'0"	3/4 Two Panel	76 - 77
	DRG3E	6′8″	3'0"	3/4 Elite	78
	DRG3P	6′8″	3′0″	3/4 Premium	79
	DRG3080	8′0″	2'8", 3'0", 3'6"	3/4 Three Panel	80 - 81
	DRG31	6′8″	3'0"	Three Panel	81
	DRG3170	7′0″	3'0"	Three Panel	81
	DRG40	6′8″	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	82 - 83
	DRG41	6′8″	2'8", 2'10", 3'0", 3'6"	True Four Panel	84 - 85
	DRG4170	7′0″	2'8", 2'10", 3'0"	True Four Panel	84 - 85
OAK CDAIN	DRG4180	8′0″	2'8", 2'10", 3'0"	True Four Panel	84 - 85
OAK GRAIN	DRG49	6′8″	2'8", 2'10", 3'0"	3/4 Four Panel	86 - 87
	DRG6C	6′8″	3'0"	Six Panel Craftsman	89
	DRG60	6′8″	2'6", 3'0"	Six Panel	90
	DRG6080	8′0″	2'6", 2'8", 3'0", 3'6"	Six Panel	90
	DRG61	6′8″	2'8", 2'10", 3'0"	Six Panel Utility	91 - 92
	DRG6170	7′0″	2'8", 2'10", 3'0"	Six Panel Utility	91 - 92
	DRG6180	8′0″	2'8", 2'10", 3'0"	Six Panel Utility	91 - 92
	DRG6B	6′8″	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	91
	DRG63	6′8″	2'8", 2'10", 3'0"	True Six Panel Narrow	94 - 95
	DRG80	6′8″	3′0″	Eight Panel, Center Arch	96
	DRG8080	8′0″	3'0", 3'6"	Eight Panel, Center Arch	96
	DRG90	6′8″	2'8", 3'0"	Nine Panel	97
	DRG9180	8′0″	3′0″	Nine Panel	98
	ACDSGT2704	3"	27"	4 Block Dentil Shelf	99
	ACDSGT2716	3 1/3"	27 1/9"	16 Block Dentil Shelf	99
	DRS00	6′8″	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	104 - 106
	DRS0070	7′0″	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	104 - 106
	DRS0080	8′0″	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	104 - 106
	DRS2B	6′8″	2'8", 2'10", 3'0"	Two Panel	107 - 108
	DRS2B80	8′0″	2'8", 2'10", 3'0"	Two Panel	107 - 108
	DRS2D	6′8″	2'8", 2'10", 3'0"		109 - 110
SMOOTH	DRS2D80	8′0″	2'8", 2'10", 3'0"	Two Panel, Arch Panel	109 - 110
SIMOOTTI	DRS2G	6′8″	2'8", 2'10", 3'0"	Cottage Two Panel	112 - 113
	DRS2G80	8′0″	2'8", 2'10", 3'0"	Cottage Two Panel	112 - 113
	DRS20	6′8″	3′0″	3/4 Heritage	114
	DRS29	6′8″	2'8", 2'10", 3'0"	3/4 Two Panel	115 - 116
	DRS2980	8′0″	2'8", 2'10", 3'0"	3/4 Two Panel	115 - 116
	DRS3C	6′8″	3′0″	Direct Glazed Craftsman	118
	DRS3C80	8′0″	3′0″	Direct Glazed Craftsman	118

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
	DRS3E	6′8″	3′0″	3/4 Elite	119
	DRS3P	6′8″	3′0″	3/4 Premium	120
	DRS3080	8′0″	2'8", 3'0", 3'6"	3/4 Three Panel	121 - 122
	DRS31	6′8″	3′0″	Three Panel	122
	DRS3170	7′0″	3′0″	Three Panel	122
	DRS40	6′8″	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	124 - 125
	DRS41	6′8″	2'8", 2'10", 3'0"	True Four Panel	126 - 127
	DRS4170	7′0″	2'8", 2'10", 3'0"	True Four Panel	126 - 127
	DRS4180	8′0″	2'8", 2'10", 3'0"	True Four Panel	126 - 127
	DRS42	6′8″	2'6"	Four Panel Blank Top	124
	DRS49	6′8″	2'8", 2'10", 3'0"	3/4 Four Panel	128 - 129
	DRS6C	6′8″	3′0″	Six Panel Craftsman	130
	DRS60	6′8″	2'6", 3'0"	Six Panel	131
	DRS6080	8′0″	2'6", 2'8", 3'0"	Six Panel	131
	DRS6B	6′8″	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	132
	DRS61	6′8″	2'8", 2'10", 3'0"	Six Panel Utility	132 - 133
	DRS6170	7′0″	2'8", 2'10", 3'0"	Six Panel Utility	132 - 133
SMOOTH	DRS6180	8′0″	2'8", 2'10", 3'0"	Six Panel Utility	132 - 133
	DRS63	6′8″	2'8", 2'10", 3'0"	True Six Panel Narrow	134 - 135
	DRS80	6′8″	3′0″	Eight Panel, Center Arch	136
	DRS8080	8′0″	3'0", 3'6"	Eight Panel, Center Arch	136
	DRS90	6′8″	2'8", 3'0"	Nine Panel	137
	DRS1K	6′8″	2'8", 2'10", 3'0"	One Panel Square Top Shaker	138
	DRS2K	6′8″	2'8", 2'10", 3'0"	Two Panel Square Top Shaker	138
	DRS3F	6′8″	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	139
	DRS3F80	8′0″	3′0″	Three Panel Shaker Craftsman	139
	DRS50	6′8″	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	140
	ACSDW23005		17 ½" (4 pcs)	3-Lite SDL Bars for 6'8" Door	142
	ACSDW23001		23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	142
	ACSDW23006		25 ³ / ₄ " (2 pcs), 8 ² / ₃₂ " (8 pcs)	6-Lite SDL Bars for 6'8" Door	142
	ACSDW23002		26" (2 pcs), 11 ¾ ₁₆ " (8 pcs)	6-Lite SDL Bars for 8'0" Door	142
	ACSDW23004		8 ¾" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	142
	ACDSSW2404		24"	4 Block Dentil Shelf	143
	ACDSSW2704		27"	4 Block Dentil Shelf	143
	ACDSSW2716		27 1/9"	16 Block Dentil Shelf	143
	DRW00	6′8″	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	146 - 147
	DRW0070	7′0″	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	146 - 147
	DRW0080	8′0″	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	146 - 147
	DRW40	6′8″	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	148 - 149
TRUE WHITE	DRW41	6′8″	2'8", 2'10", 3'0"	True Four Panel	150 - 151
OAK	DRW60	6′8″	2'6", 3'0"	Six Panel	152
	DRW6080	8′0″	2'6", 3'0"	Six Panel	152
	DRW61	6′8″	2'6", 2'8", 2'10", 3'0"	Six Panel Utility	153 - 154
	DRW6170	7′0″	2'8", 2'10", 3'0"	Six Panel Utility	153 - 154
	DRW63	6′8″	2'8", 2'10", 3'0"	True Six Panel Narrow	156 - 157

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
	DRS11	6′8″	3′0″	Full Lite - Commercial ADA	160
	DRS1170	7′0″	3'0"	Full Lite	160
	DRS1180	8′0″	3'0"	Full Lite	160
	DRG12	6′8″	2'8", 3'0"	Flush Glazed Half Lite	161
	DRG12 G09	6′8″	2'8", 3'0"	9 Lite GBG	161
	DRG12B	6′8″	2'8", 3'0"	Half Lite with Miniblinds	161
	DRS12	6′8″	2'8", 3'0"	Flush Glazed Half Lite	162
ONELITE SERIES	DRS12 G09	6′8″	2'8", 3'0"	9 Lite GBG	162
SERIES	DRS12B	6′8″	2'8", 3'0"	Half Lite with Miniblinds	162
	DRS13	6′8″	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	163
	DRS1380	8′0″	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	163
	DRM13	6′8″	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	164
	DRM1380	8′0″	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	164
	ACSDM/S1368L08C	1 1/4"	48 ⁵ / ₃₂ " (2 pcs), 12 ⁵⁹ / ₆₄ " (12 pcs)	8-Lite SDL Bars for 6'8" Door	165
	ACSDM/S1380L10C	1 1/4"	64 ⁵ / ₃₂ " (2 pcs), 12 ⁵⁹ / ₆₄ " (16 pcs)	10-Lite SDL Bars for 8'0" Door	165
	DRS1DL	6′8″	2'0", 2'6", 2'8", 3'0"	Smooth Direct Glazed Full Lite w/ LowE	168 - 169
	DRS1D80L	8′0″	2'0", 2'6", 2'8", 3'0"	Smooth Direct Glazed Full Lite w/ LowE	168 - 169
	DRF1DL	6′8″	2'0", 2'6", 2'8", 3'0"	Fir Direct Glazed Full Lite w/ LowE	168 - 169
NOVA SERIES	DRF1D80L	8′0″	2'0", 2'6", 2'8", 3'0"	Fir Direct Glazed Full Lite w/ LowE	168 - 169
	DRS1SL	6′8″	2'0", 2'6", 2'8", 2'10", 3'0"	Brushed Direct Glazed Full Lite w/LowE	170 - 171
	DRS1S80L	8′0″	2'0", 2'6", 2'8", 2'10", 3'0"	Brushed Direct Glazed Full Lite w/LowE	170 - 171
	DRS1STSL	6′8″	2'0", 2'6", 2'8", 2'10", 3'0"	Brushed Direct Glazed Full Lite w/Translucent	170 - 171
	DRS1STSL80	8′0″	2'0", 2'6", 2'8", 2'10", 3'0"	Brushed Direct Glazed Full Lite w/Translucent	170 - 171
	DRS1SBL	6′8″	2'0", 2'6", 2'8", 2'10", 3'0"	Brushed Direct Glazed Full Lite w/Miniblind	170 - 171
	DRS1S80BL	8′0″	2'0", 2'6", 2'8", 2'10", 3'0"	Brushed Direct Glazed Full Lite w/Miniblind	170 - 171

THE DOOR OF BEAUTY AND INNOVATION







PlastproInc.com

5200 W. Century Blvd, 9th Floor Los Angeles, CA 90045

Phone: (800) 779-0561 Fax: (310) 693-8620











